

ELEVATION UNIT

This sturdy support is suitable for both Studio and Maxi tripods, and combines the height range advantages of a standard pedestal with the low cost, robustness and fast operation of a tripod.

Weighing only 4 Kg (4,4 lbs), it features a maximum elevation height of 35 cm (14") and can be easily mounted on any existing platform equipped with the 4-holes bore.



A 881



T 625/R



T 624/M

T 624/BM

T 624/2M



T 625



T 625/M

OB & STUDIO TRIPODS

With its rugged construction and extraordinary sturdiness the Cartoni Studio and Maxi tripods are designed to support the larger Fluid Heads in Studio or Outside Broadcast configuration.

A special care has been developed in achieving torsional rigidity and positive leg clamp. The tripod series feature both flat Mitchell style bases including the 4 hole bores and 150mm bowl base.

The ground steel spikes are covered by adjustable rubber feet and each tripod can be secured either by an integral off ground spreader or by a variety of ground spreaders and skids.

3-WAY LEVELLER HD TRIPOD

A unique Heavy Duty tripod with flat Mitchell base and 3-way levelling ability for horizontal fine tuning. The innovative concept allows mounting all flat Mitchell base heads and still be able to correct horizontal plan without acting on the legs height and without compromise for torsional rigidity.



Product code	T624 T624/M	T624/2 T624/2M T624/2C T624/2CM	T624/BM	T624/S	T625	T625/S
Type	1 stage	2 stages	1 stage baby	1 stage	1 stage	1 stage baby
Material	aluminum	alu/carbon fiber	aluminum	aluminum	aluminum	aluminum
Weight	7,4kg/16,3lbs	6,5kg/15,5lbs alu 6kg/13lbs carbon f.	5,7kg/12,8lbs	5,6kg/2,6lbs	10kg/23lbs	8,9kg/19,6lbs
Capacity	150kg/330lbs	150kg/330lbs	150kg/330lbs	150kg/330lbs	200kg/440lbs	200kg/440lbs
Base	flat/150mm	flat/150mm	flat/150mm	flat/150mm	flat/150mm	flat/150mm
Min. height	80cm/35,5"	50cm/22,2"	52cm/23"	32cm/14,2"	72cm/32"	46cm/20,4"
Max. height	155cm/68"	163cm/72"	65cm/28,8"	45cm/20"	130cm/57,7"	79cm/35"
Folded height	95cm/42,2"	75cm/33"	55cm/24,4"	35cm/15,5"	89cm/39,5"	58cm/25,7"

flip-clamping
system

T 623/2



T 623

EFP TRIPODS

Stable and sturdy, though lightweight, the Cartoni EFP series tripods are available in one or two stages and both in aluminum and carbon fiber.

The 100mm bowl base is connected to the three legs with a performing system of elastic washers and self adjusting steel connection which guarantees virtually no torque effect even with heavy drag fluids.

Height adjustment is performed by a fast clamp, and includes a safety lock to prevent accidental falls.

The bottom foot includes a threaded spike, receiving the adjustable rubber foot and interfaces with dollies and ground spreaders.



A 857

Product code	T623 T623/C	T623/2 T623/2C	T623/B	T623/S
Type	1 stage	2 stages	1 stage baby	1 stage short
Material	alu/carbon fiber	alu/carbon fiber	aluminum	aluminum
Capacity	80kg/176lbs	80kg/176lbs	80kg/176lbs	80kg/176lbs
Weight	3,4kg/7,5lbs 3,3kg/7,2lbs	3,8kg/8,3lbs 3,6kg/8lbs	2,7kg/5,9lbs	2,10kg/4,6lbs
Base	100mm	100mm	100mm	100mm
Min. height	67,5cm/30"	54cm/24"	50cm/22,2"	30cm/13,3"
Max height	144cm/64"	157cm/70"	64cm/28,4"	44cm/19,5"
Folded height	85cm/37,7"	75cm/33,3"	54cm/24"	34cm/15"

ENG TRIPODS

Lightweight and extreme stability, together with a fast display in action, are the main features of the ENG tripods.

Available in three versions: the basic 3 tubes, the classic ENG one stage and the double stage, all available in lightweight aluminum or ultra-light carbon fiber.

Height adjustment is performed by a fast, easy to reach clamp and includes a safety lock to prevent accidental falls.

The bottom foot includes a threaded spike receiving the adjustable rubber foot and interfaces with dollies and ground spreaders.



T 626/2



T 622



S 731 QR



T 621

Product code	T621	T626/2	T622 T622/C	T622/2 T622/2C	T622/B	T622/S
Type	1 stage/3 tube	2 stage/3 tube	1 stage	2 stage	1 stage baby	1 stage short
Material	aluminum	aluminum	alu/carbon fiber	alu/carbon fiber	aluminum	aluminum
Capacity	40kg/88lbs	40kg/88lbs	60kg/132lbs	60kg/132lbs	60kg/132lbs	60kg/132lbs
Weight	2,1kg/4.6lbs	3kg/6,6lbs	2,8kg/6,2lbs 2,7kg/5,9lbs	3,2kg/7lbs 3kg/6,6lbs	2,3kg/5,1lbs	1,8kg/4lbs
Base	75mm	75mm	100mm	100mm	100mm	100mm
Min. height	78cm/34,6"	67cm/26,4"	74cm/32,8"	51cm/22,6"	42cm/18,6"	30cm/13,3"
Max. height	136cm/60,4"	151cm/59"	137cm/53,9"	162cm/72"	77cm/34,2"	44cm/19,5"
Folded height	84cm/37,3"	77cm/30,3"	81cm/31,9"	74cm/32,8"	56cm/24,8"	34cm/15"



SmartStop



T 628/2
SmartStop
eng tripod



SmartStop



T 627

Product code	T627 T627/C	T627/2	T628/2 T628/2c
Type	1 stage/3 tube	2 stage/3 tube	2 stage
Material	alu/carbon fiber	aluminum	alu/carbon fiber
Capacity	50kg/110lbs	50kg/110lbs	60kg/132lbs
Weight	2,9kg/6,4lbs	3,3kg/7,2lbs	3kg/6,6lbs
Base	100mm	100mm	100mm
Min. height	75cm/33,3"	51cm/22,6"	51cm/22,6"
Max. height	141cm/62,6"	162cm/72"	162cm/72"
Folded height	87cm/38,6"	74cm/32,8"	74cm/32,8"